



# GAS-POWERED PULLING WINCH. MAX. PULLING FORCE: 1000 KG Centrifugal Clutch - Including Accesories

### **Key features**

• 1 Year Warranty, Customer Support and Service in the USA

### Winch Description<

2200 lb Wireless Lifting Winch are used for lifting material. Winches usually ship within 1-3 business days after ordering. Please call us at 1 (800) 971-8061 for any special requests. The Highest Quality, most Technologically Advanced Winches in the Industry. Powered by the Honda 4-stroke GXH-50 cc engine, this winch is designed for heavy loads. Weighing just 16 kg, it offers a pulling force of 1000 kg. In addition, there are 2 speed options thanks to the interchangeable capstan drums. If you opt for POWER, choose the 57 mm drum pulling at a speed of 12 meters per minute. If your situation calls for SPEED, choose the 85 mm\* drum pulling at a speed of 18 meters per minute. This portable capstan winch can be used with any length of double-braid polyester rope with a 12 mm diameter and with all portable winch equipment and accessories.





# **Technical Specifications**

Rated Load Capacity	Pulling Single Line: 2200 lb / 1000 kg Pulling Double Line: 4400 lb / 2000 kg Not for Lifting - No apto para Izaje	Recommended Wire Rope	Fiber Ø 3/8'' (10 mm)
Speed (f/m) / min	44 ft/min   13.4 m/min	Drum Type	Capstan   Cabrestante
Number of Speeds	1 Speed	Standards Compliance	CE
Motor Brand and Model	Honda GX50	Made in	Canada
Motor/Engine Type	4-stroke - 360° inclinable - air-cooled   50 cc	Warranty	1 Year
Motor/Engine Power	1.47 kW   2.0 HP	Drum turns when motor/engine is idling	No
Transmission / Reducer Type	Centrifugal	Gearbox	Aluminium alloy. Heat treated 3-stage helical & spur gears. Mounted on ball bearings. Oil bath lubrication.
Gear Ratio	200:1	Rope Retention System	Quick release automatic anti roll-back mechanism (ARM)
Reducer Brake	Anti-reversing roller clutch bearing		

# **Unit Weight & Dimensions**

# **Packaging Weight & Dimensions**

A Total Height	12 in / 305 mm	Package 1 Net Weight	27 lbs / 12 Kg
W Width	17 in / 432 mm		
D Depth	12 in / 305 mm		
BD Barrel Diameter	Standard: Ø 3'' (76 mm) 44ft/min   13.4 m/min Single line No optional drum		
Total Unit Weight	27 lbs / 13 Kg		