



GAS-POWERED PULLING WINCH. MAX. PULLING FORCE: 1000 KG WITH ACCESSORIES

Key features

- **Maximum Pulling Force:** Capable of pulling up to 1000 kg (approximately 2,205 lbs), suitable for heavy-duty pulling applications.
- **Includes Accessories:** Comes with essential accessories to enhance functionality and ease of use right out of the box.
- **Durable Construction:** Constructed from high-quality materials for long-term reliability and durability in tough conditions.
- **1 Year Warranty, Customer Support and Service in the USA**

Winch Description

2200 lb Wireless Lifting Winch are used for lifting material. Winches usually ship within 1-3 business days after ordering. Please call us at 1 (800) 971-8061 for any special requests. The Highest Quality, most Technologically Advanced Winches in the Industry. Powered by the Honda 4-stroke GXH-50 cc engine, this winch is designed for heavy loads. Weighing just 16 kg, it offers a pulling force of 1000 kg. In addition, there are 2 speed options thanks to the interchangeable capstan drums. If you opt for POWER, choose the 57 mm drum pulling at a speed of 12 meters per minute. If your situation calls for SPEED, choose the 85 mm* drum pulling at a speed of 18 meters per minute. This portable capstan winch can be used with any length of double-braid polyester rope with a 12 mm diameter and with all portable winch equipment and accessories.

Technical Specifications

Rated Load Capacity	Pulling Single Line: 2200 lb / 1000 kg Pulling Double Line: 4400 lb / 2000 kg Not for Lifting - No apto para Izaje	Gear Ratio	110:1
Speed (f/m) / min	40 ft/min 12 m/min (Optional drum 59 ft/min 18 m/min)	Recommended Wire Rope	Fiber Ø 1/2" (12 mm)
Number of Speeds	1 Speed	Standards Compliance	CE
Motor Type (68)	4-stroke air-cooled 50 cc	Made in	Canada
Transmission / Reducer Type	Direct drive (no clutch)	Warranty	1 Year

Unit Weight & Dimensions

A Total Height	15 in / 381 mm	Package 1 Net Weight	35 lbs / 16 Kg
W Width	15 in / 381 mm		
D Depth	15 in / 381 mm		
Drum BD Barrel Diameter (58)	Standard: Ø 2-1/4" (57 mm) 40ft/min 12 m/min Single line Optional: Ø 3-3/8" (85 mm) 60'/min - 18 m/min Single line		
Total Unit Weight	35 lbs / 16 Kg		

Packaging Weight & Dimensions