



HIGH SPEED GAS-POWERED PULLING WINCH 770 lbs (118 ft/min) in single line 1540 lbs (59 ft/min) in dou

Key features

- High Capacity: Designed for heavy-duty applications with a robust pulling or lifting capacity to handle large and demanding tasks.
- Advanced Features: Includes enhanced features for superior performance and efficiency in various operational settings.
- Durable Construction: Built with high-quality materials for long-lasting durability and resistance to wear and tear.
- 1 Year Warranty, Customer Support and Service in the USA

Winch Description

2200 lb Wireless Lifting Winch are used for lifting material. Winches usually ship within 1-3 business days after ordering. Please call us at 1 (800) 971-8061 for any special requests. The Highest Quality, most Technologically Advanced Winches in the Industry. Powered by the Honda 4-stroke GXH-50 cc engine, this winch is designed for heavy loads. Weighing just 16 kg, it offers a pulling force of 1000 kg. In addition, there are 2 speed options thanks to the interchangeable capstan drums. If you opt for POWER, choose the 57 mm drum pulling at a speed of 12 meters per minute. If your situation calls for SPEED, choose the 85 mm* drum pulling at a speed of 18 meters per minute. This portable capstan winch can be used with any length of double-braid polyester rope with a 12 mm diameter and with all portable winch equipment and accessories.

Prowinch LLC Certified under Standard Quality Management Systems ISO 9001 info@prowinch.com





Technical Specifications

| Rated Load Capacity | Pulling Single Line: 770 lb / 350 kg Pulling Double Line: 1540 lb / 700 kg Not for Lifting - No apto para Izaje | Gear Ratio | 53:1 |
|-----------------------------|---|-----------------------|-----------------------|
| Speed (f/m) / min | 118 ft/min 36 m/min (Optional drum 79 ft/min 24 m/min) | Recommended Wire Rope | Fiber Ø 1/2'' (12 mm) |
| Number of Speeds | 1 Speed | Standards Compliance | CE |
| Motor Type (68) | 4-stroke air-cooled 50 cc | Made in | Canada |
| Transmission / Reducer Type | Direct drive (no clutch) | Warranty | 1 Year |

Unit Weight & Dimensions

Packaging Weight & Dimensions

| A Total Height | 15 in / 381 mm | Package 1 Net Weight | 35 lbs / 16 Kg |
|------------------------------|---|----------------------|----------------|
| W Width | 15 in / 381 mm | | |
| D Depth | 15 in / 381 mm | | |
| Drum BD Barrel Diameter (58) | Standard: Ø 3-3/8'' (85 mm) 118ft/min Optional: Ø 2-1/4'' (57 mm) 79ft/min | | |
| Total Unit Weight | 35 lbs / 16 Kg | | |



Prowinch LLC Certified under Standard Quality Management Systems ISO 9001 info@prowinch.com

