



1/2 ton 220V 1 Speed Mini Electric Chain Hoist 9 ft. Chain S3 H1 Duty Wireless

Key features

- Load Capacity: Handles up to 1/2 ton (1100 lbs), ideal for medium-duty lifting tasks.
- Voltage: Operates on 220V, suitable for higher voltage power systems.
- 1-Speed Operation: Features a single-speed motor for steady and reliable lifting.
- 1 Year Warranty, Customer Support and Service in the USA

Electric Chain Hoist Description

This mini electric chain hoist features a 1/2 ton (1100 lb) capacity and operates on 220V with a single-speed motor. It comes with a 9 ft chain and is rated for S3 H1 duty, designed for light-duty, intermittent use. The wireless control offers enhanced convenience and flexibility, making it ideal for various lifting tasks in industrial or workshop environments where ease of use and accessibility are key.

Prowinch LLC Certified under Standard Quality Management Systems ISO 9001 info@prowinch.com





Technical Specifications

Rated Load Capacity	1100 lb / 500 kg	Control	Wireless F21 / Optional Pendant Control
Standard Lifting Height	10 ft / 3 m	Control Voltage	2 X AA Battery
Speed (f/m) / min	9.2 ft / 2.8 m	Emergency Stop	Yes
Number of Speeds	1 Speed	Contactor	HSIN DA 20 AMP
Voltage	1 Phase 220~240V 50/60Hz	Gear Ratio	137:1
Available Voltages	230V 1Φ	Load Chain Type	G80
FCC ID	OFNF21	Load Chain Size	1/4 in 6.3 mm
Duty Class	H1/M2/1Cm/Class A	Chain Falls	1
Motor Power (6)	540 Watts	Chain Length	10 ft / 3 m
Motor AMP	2.76	Humidity	<85%
Motor Brake	Yes	Temperature	-4 ~ 104° F / -20 ~ 40° C
Insulation Grade	В	Noise Level	80 dB
IEC Motor Protection	IP54	Warranty	1 Year

Prowinch LLC Certified under Standard Quality Management Systems ISO 9001 info@prowinch.com





Packaging Weight & Dimensions

Package 1 Gross Weight	33 lbs / 15 Kg
Package 1 Width	14 in / 35.56 cm
Package 1 Length	11 in / 27.94 cm
Package 1 Height	14 in / 35.56 cm

Prowinch LLC Certified under Standard Quality Management Systems ISO 9001 info@prowinch.com

