



15500 Lb Electric Winch 208~240/440~480V 3 Ph (Wire Rope 500 ft not included), 1 Speed Control, full Chasis, Motor and Reducer Brake. Drum ø350mm

Key features

- Voltage Options: Compatible with both 2208~240/440~480V , 3-phase power systems for versatile installation.
- Integrated Motor and Reducer Brake: Ensures reliable stopping power and load control, enhancing safety during operation.
- Single Speed Control: Designed for straightforward operation, ensuring easy handling of loads.
- 3 Year Warranty, Customer Support and Service in the USA

Winch Description

This robust 15500 lb electric winch operates on a 208~240V or 440~480V power supply and comes fully equipped with wire rope, a 1-speed control, and a comprehensive chassis. It features a high-performance motor with brake and a reducer second brake for enhanced safety and control. Designed for heavy-duty tasks, this winch provides reliable lifting and pulling capabilities, making it ideal for demanding industrial and construction applications.

Technical Specifications

1st Layer Rated Capacity	15580 lb / 7082 kg	Control Voltage	24V
Last Layer Rated Capacity	4th Layer 11320 lb / 5146 Kg	Electric Control Box	Included
Number of Layers	4	Gear Ratio	186.25:1
Speed (f/m) / min	33~46 feet per minute	Drum Brake	Optional
Number of Speeds	1 Speed - Optional Variable Speed	Wire Rope	Included
Voltage	3 Phase 208~240/440~480V 50/60Hz	Recommended Wire Rope	W63628A1 6 x 36 IWRC EIPS Minimum Strength 56000 lb ϕ 7/8 x 500 ft
Total Power Watts	15000	Humidity	<85%
Motor Type (68)	Electric AC	Standards Compliance	ASME/ANSI B30.7, B30.10 / AWS D14.3 / RR-W-410E / ISO 2232
IEC Motor Protection	IP54	Warranty	3 Year
IEC Electric Control Box Protection	IP65	Standard Lifting Height	Up to 500 ft / 150 m
Control	E-Stop/Up/Down - Optional Variable Speed		

Unit Weight & Dimensions

A Total Height	860 mm	Package 1 Net Weight	2706 lbs / 1228 Kg
Drum BD Barrel Diameter (58)	ϕ 350 mm		
D Depth	745 mm		
Drum FD Flange Diameter (57)	ϕ 560 mm		
W Width	1900 mm		
Drum DL Length (56)	650 mm		
Total Unit Weight	2706 lbs / 1228 Kg		

Packaging Weight & Dimensions