



Trailer Mini Mover 6000lb 12v

Key features

- The unit needs to be powered by a 12V DC battery with a minimum size of 24Ah (not included). Jockey wheel can be used in manual mode (freewheel option) by rotating yellow cap located on the side of the wheel. Specially designed no-flat tire.
- Strong Rust-Proof Aluminum Frame and long handle bar makes it easy to navigate your trailer, RV, or Boat into tight spots. A specially designed CLUTCH also lets you roll the MM easily on the ground in neutral gear mode.
- Max Jockey wheel Load: 1100 lb (498kg) Max Vehicle Load on level ground: 6000lb (2722kg). Speed: 6-7 meters per minute Automatic Brake Incline: Up to 7 degrees
- Motor: 12V / 550W Gear Ratio: 494:1 Brake automatically break on incline: less than 7 degree incline.
- 1 Year Warranty, Customer Support and Service in the USA

Prowinch Trailer Mini mover is designed to replace and upgrade the traditional jockey wheel for caravans, boat trailers or other similar trailers. This device enables users to move their caravans or trailers easily and safely using a simple handheld controller. The jockey wheel is capable of moving up to 6000lb (2722kg) on an inline of up to 7 degrees. With both forward and reverse, a wide (8cm) heavy duty rubber wheel and an automatic braking system moving your trailer around becomes a simple task. With a special jockey wheel locking system this means that once locked no-one can remove the jockey wheel without a key. Unit comes with two keys.





Technical Specifications

Warranty

1 Year





WHEN YOU NEED CONTROLLING OF A ROLLING LOAD YOU CAN COUNT WITH THE PROWINCH TRAILER MINI MOVER.

Prowinch Trailer Mini Mover 6000lb 12v Jockey Wheel

Key Features

- Specially designed no-flat tire.
- The unit needs to be powered by a 12V DC battery with a minimum size of 24Ah (not included). Jockey wheel can be used in manual mode (freewheel option) by rotating yellow cap located on the side of the wheel.
- Strong Rust-Proof Aluminum Frame and long handle bar makes it easy to navigate your trailer, RV, or Boat into tight spots.
- A specially designed CLUTCH also lets you roll the MM easily on the ground in neutral gear mode.
- Max Jockey wheel Load: 1100 lb (498kg) Max Vehicle Load on level ground: 6000lb (2722kg);
- Speed: 6-7 meters per minute Automatic Brake Incline: Up to 7 degrees;
- Security lock with 2 keys included!
- Motor: 12V / 550W Gear Ratio: 494:1 Brake automatically break on incline: less than 7 degree incline.

Dimensions in mm / Dimensiones en mm









