



550 Lb 250 Kg BLACK Chain Stage Hoist 40 ft Wireless 220V 50/60HZ




Key features

- 3 Year Warranty, Customer Support and Service in the USA

550 Lb 250 Kg BLACK Chain Stage Hoist 40 ft Wireless 220V 50/60HZ

Technical Specifications

Rated Load Capacity	551 lb / 250 kg	Load Chain Size	Ø0.2 x 0.6 in Ø5 x 15 mm
Standard Lifting Height	40 ft / 12 m	Chain Falls	1
Speed /min	31 ft / 10 m	Chain Length	33 ft / 10 m
Number of Speeds	1 Speed	Humidity	<85%
Voltage	1 Phase 220~240V 50/60Hz	Temperature	-4° ~ 104° F / -25° ~ 40° C
Total Power Watts	0.45 kW	Noise Level	81 dB
FCC ID	WTX20X04015023E	Standards Compliance	ASME B30.16/ANSI Z535.4 - 2007
IEC Motor Protection	IP54	Warranty	3 Year
Load Chain Type	G80		



Pendant Control and Wireless Remote Control

Dimensions	A	B	C	D	E	F	G
PWR025SHSF	8.3 in / 210 mm		4.6 in / 116 mm	4.1 in / 104 mm	12.6 in / 320 mm	0.94 in / 24 mm	19.7 in / 500 mm
PWR050SHSF	9.6 in / 245 mm		6.2 in / 158 mm	5.6 in / 142 mm	15.8 in / 402 mm	1.3 in / 33 mm	21.7 in / 550 mm
PWR100SHSF	9.6 in / 245 mm		6.2 in / 158 mm	5.6 in / 142 mm	15.8 in / 402 mm	1.3 in / 33 mm	21.7 in / 550 mm
PWR200SHSF	9.6 in / 245 mm		4.9 in / 124 mm	6.9 in / 176 mm	15.8 in / 402 mm	1.6 in / 40 mm	25.6 in / 650 mm