



## 2 Ton M5/H4 380V~480V Electric Chain Hoist Power Trolley Variable Speed 20 ft. FEC G80 Japan Chain

### Key features

- Load Capacity: Supports up to 2 tons (4,400 lbs.), ideal for medium to heavy-duty lifting tasks.
- Speed: Features variable speed control for precise and flexible lifting operation.
- Power Trolley: Includes a power trolley for smooth and efficient horizontal movement along the beam.
- 3 Year Warranty, Customer Support and Service in the USA

### Electric Chain Hoist Description

This 20 ft 2 ton Electric Chain Hoist with Power Trolley can be mounted wherever you need it. The hoist has a 20 foot lifting height and raises and lowers heavy loads with a powerful M5 duty cycle motor. The three-phase power supply and quick-connect electrical wiring system make it ideal for industrial or home applications.

## Technical Specifications

<b>Rated Load Capacity</b>	4400 lb / 2000 kg	<b>Control Voltage</b>	24V
<b>Standard Lifting Height</b>	20 ft / 6 m	<b>Emergency Stop</b>	Yes
<b>Number of Speeds</b>	Variable Speed	<b>Transmission / Reducer Type</b>	Spur gearbox with Oil splash lubrication
<b>Voltage</b>	3 Phase 380~480V 50/60Hz	<b>Load Chain Type</b>	FEC G80 Japan
<b>USA and Canada Voltage</b>	VFD 380~500V	<b>Trolley VFD</b>	2.2KW VFD, Delta model: VFD5A5MS43ANSAA
<b>Duty Class</b>	H4/M5/2m/Class D	<b>Trolley Power</b>	0.4 kW
<b>Motor Brake</b>	Yes DC Electromagnetic	<b>Noise Level</b>	81 dB
<b>Insulation Grade</b>	F	<b>Trolley Number of Speeds</b>	Variable
<b>IEC Motor Protection</b>	IP55	<b>Standards Compliance</b>	ASME HST-1 , ASME B30.16 , B30.17, EN60204-32
<b>Variable Frequency Driver</b>	3.7KW VFD, Delta model: VFD9A0MS43ANSAA	<b>Warranty</b>	3 Year
<b>Control</b>	Pendant Control and Optional Wireless		