



1 ton Electric Chain Hoist w/ Power Trolley Variable Speed 220V 1ø 50~60HZ 20ft G100 Nickel Duty H4/M5

Key features

- Capacity: Lifts up to 1 ton (approximately 2,000 lbs)
- Power Supply: 220V single-phase, compatible with 50~60Hz
- Speed Control: Variable speed operation for accurate lifting and lowering
- 3 Year Warranty, Customer Support and Service in the USA

Electric Chain Hoist Description


The 1 Ton Electric Chain Hoist with Power Trolley is a powerful and versatile lifting solution designed for a variety of applications. With variable speed control, this hoist allows for precise handling of loads up to 2,000 lbs. It operates on a 220V single-phase power supply, compatible with both 50 and 60Hz, making it suitable for different settings. The integrated power trolley ensures smooth horizontal movement, ideal for tasks that require flexibility and accuracy.

Prowinch LLC Certified under Standard Quality Management Systems ISO 9001 info@prowinch.com





Technical Specifications



| Rated load (t) | Туре | Dimension (mm) | | | | | | | | | | | | |
|-------------------|-----------|---|-----|---------------|-----|-----|-----|-----|-----|----|----|----|-----|-----|
| | | Minimum distance from the bottom of the track to the bottom hook: H | Α | L | В | D | E | I | М | N | К | L | т | R |
| 1 | PWRXT1-01 | 473 | 440 | 3500· 5500 | 285 | 210 | 20 | 105 | 140 | | | | | |
| 2 | PWRXT2-01 | 516 | 590 | | 276 | 368 | 210 | 31 | 24 | 25 | 42 | 32 | 242 | 167 |
| 3 | PWRXT3-01 | 600 | 681 | | 350 | 422 | 264 | 36 | 28 | 35 | 52 | 42 | 242 | 167 |
| 5 | PWRXT5-02 | 645 | 681 | | 350 | 478 | 307 | 43 | 30 | 34 | 59 | 48 | 242 | 167 |

Unit Weight & Dimensions

prowinch.com

Prowinch LLC Certified under Standard Quality Management Systems ISO 9001 info@prowinch.com





190.74 lbs / 87 Kg

prowinch.com

Prowinch LLC Certified under Standard Quality Management Systems ISO 9001 info@prowinch.com

