



11000 lbs. 5 ton 30 ft Manual Chain Hoist G80 Black Tempered Chain

Key features

- **Lifting Capacity:** Supports loads up to 11000 lbs (5 tons), making it suitable for demanding lifting and pulling operations.
- **Lifting Height:** Provides a maximum lifting height of 30 feet, allowing for flexibility in handling larger loads and varying applications.
- **Robust Construction:** Built from high-quality materials designed to withstand challenging conditions, ensuring long-lasting performance and durability.
- **3 Year Warranty, Customer Support and Service in the USA**

Manual Chain Hoist Description

The 11000 lbs (5 ton) Manual Chain Hoist is a robust and efficient lifting solution designed for heavy-duty applications. With a substantial lifting height of 30 feet and constructed from high-quality G80 black tempered chain, this hoist is perfect for a variety of lifting tasks in diverse environments.

Prowinch Manual Chain Hoist

All of our **Manual Chain Hoists** are created with the goal of offering the best price-performance ratio. Key components such as lifespan factors are constantly tested and improved in order to offer the best product for the price.


Braking System

The reliable double pawl brake system is tested at 125% of the hoist capacity.

Technical Specifications

Rated Load Capacity	11000 lb / 5000 g	Load Chain Size	10x30 mm
Standard Lifting Height	30 ft / 9 m	Standards Compliance	ANSI/ASME B30.16, EN13157, ISO 16877-2008
Load Chain Type	G80	Warranty	3 Year

Model/Modelo	PWTB050	PWTB100	PWTB150	PWTB200	PWTB300	PWTB500	PWTB1000	PWTB2000
A	4.9 in / 124 mm	5.3 in / 134 mm	5.9 in / 149 mm	6.2 in / 157 mm		7.1 in / 180 mm		8.9 in / 226 mm
B	5.1 in / 129 mm	6.1 in / 154 mm	6.8 in / 172 mm	7.3 in / 185.42 mm	9.3 in / 236 mm	10.3 in / 261 mm	14.4 in / 365 mm	21.7 in / 551 mm
C	1.7 in / 43 mm	2.0 in / 50 mm	2.5 in / 63.5 mm		3.9 in / 99 mm	5.0 in / 127 mm	10.2 in / 259 mm	11.3 in / 287 mm
D	1.0 in / 25 mm	1.2 in / 30 mm	1.3 in / 33 mm		2.2 in / 55 mm	2.9 in / 73 mm	3.9 in / 99 mm	4.8 in / 121 mm
E	1.1 in / 27 mm	1.3 in / 33 mm		1.5 in / 38 mm	1.7 in / 43 mm	2.0 in / 50 mm	2.5 in / 63 mm	3.2 in / 81 mm
F	1.3 in / 33 mm	1.6 in / 40 mm	1.7 in / 43 mm	1.8 in / 45 mm	2.0 in / 50 mm	2.4 in / 60 mm	3.3 in / 83 mm	4.3 in / 109 mm
G	1.4 in / 35 mm	1.8 in / 45 mm	1.9 in / 48 mm	2.0 in / 50 mm	2.5 in / 63 mm	3.1 in / 78 mm		



Unit Weight & Dimensions

H Minimum Headroom	2 ft / 0.6 m
Total Unit Weight	155 lbs / 71 Kg

Packaging Weight & Dimensions

Package 1 Net Weight	155 lbs / 70 Kg
Package 1 Width	19 in / 48.26 cm
Package 1 Gross Weight	173 lbs / 78 Kg
Package 1 Height	13 in / 33.02 cm
Package 1 Length	24 in / 60.96 cm