

2200 lbs Ton Manual Winch Automatic Brake



Key features

- High Load Capacity: Capable of handling up to 2,200 lbs, making it suitable for heavy-duty lifting and pulling tasks.
- Automatic Brake: Features an automatic brake system to securely hold the load and prevent slippage.
- Manual Operation: Operates manually, providing a reliable solution for use in locations without power sources.
- 1 Year Warranty, Customer Support and Service in the USA

Winch Description

This manual winch supports a 2,200 lbs capacity and features an automatic brake for added safety and control. Built for heavy-duty use, it provides reliable and smooth operation, making it ideal for demanding lifting and pulling tasks.

Technical Specifications

1st Layer Rated Capacity	2200 lb / 1000 kg	Drum Brake	Automatic
Number of Speeds	1 Speed	Recommended Wire Rope	ø5/16 in ø8 mm
Motor Type (68)	Manual Crank	Standards Compliance	ASMEB30.7
Gear Ratio	12.19:1	Warranty	1 Year

Model/Modelo	PWUL100	PWUL300	PWUL500	PWUL1000	PWUL2000	PWUL3000
Required Effort 1st Rope Layer Esfuerzo requerido 1a capa de cable	25.35 lb / 11.5 kg	24.25 lb / 11 kg	26.45 lb / 12 kg		28.66 lb / 13 kg	39.68 lb / 18 kg
Drum Capacity Capacidad del Tambor	98.42 ft / 30 m			131.23 ft / 40 m		
Drum Diameter Diámetro del tambor	1.88 in / 48 mm	2.38 in / 60.5 mm		3 in / 76.3 mm	3.50 in / 89.1 mm	4 in / 101.6 mm
Can Wind per Turn Capacidad de enrollar por giro	6.55 in / 166.5 mm	2.86 in / 72.8 mm	1.90 in / 48.4 mm	0.84 in / 21.7 mm	0.53 in / 13.6 mm	0.70 in / 18 mm
Reduction Gear Ratio Relación de engranaje de reduccion	1:1	2.88:1	4.33:1	12.19:1	22.68:1	22.16:1
Length of Lever Handle Dimensión de la palanca	9.44 in / 240 mm			13.77 in / 350 mm		

Unit Weight & Dimensions

Total Unit Weight	39 lbs / 18 Kg
--------------------------	----------------

Packaging Weight & Dimensions

Package 1 Net Weight	39 lbs / 18 Kg
Package 1 Width	11 in / 27.94 cm
Package 1 Gross Weight	41 lbs / 19 Kg
Package 1 Height	10 in / 25.4 cm
Package 1 Length	15 in / 38.1 cm